

Immunology 101 (for the Non-Immunologist)

Stephen Shiao MD, PhD
Assistant Professor
Department of Radiation Oncology
Cedars-Sinai Medical Center

**Advances in Cancer Immunotherapy – Los Angeles
June 19, 2015**




What is the immune system?

- ◆ A network of proteins, cells, tissues and organs all coordinated for one purpose: **to defend one organism from another**
- ◆ It is an infinitely adaptable system to combat the complex and endless variety of pathogens it must address

Outline

- ◆ Structure of the immune system
- ◆ Anatomy of an immune response
- ◆ Role of the immune system in disease: infection, cancer and autoimmunity


Organs of the Immune System



Major organs of the immune system

1. **Bone marrow** – production of immune cells
2. **Thymus** – education of immune cells
3. **Lymph Nodes** – where an immune response is produced
4. **Spleen** – dual role for immune responses (especially antibody production) and cell recycling


Origins of the Immune System



The Immune Response: The Art of War


“Know your enemy and know
yourself and you can fight a
hundred battles without disaster.”

-Sun Tzu, *The Art of War*




Immunity: Two Systems and Their Key Players


Innate Immunity



Dendritic cells (DC)




**Phagocytes
(Macrophages, Neutrophils)**




Natural Killer (NK) Cells

Adaptive Immunity




B cells




T cells

Dendritic Cells: “Commanders-in-Chief”




- Function: Serve as the **gateway** between the innate and adaptive immune systems.
 - Sample the surrounding environment and determine whether or not to initiate an immune response
 - Multiple different functional subsets regulate and shape the ensuing immune response
- Location: interfaces with the environment (lung, intestine and skin) and sites of immune interactions (spleen, lymph nodes, Peyer's patches)
- Key Markers: CD11c+

Phagocytes (Macrophages): “Auxiliary Support”




- Function: “Big Eaters” with multiple overlapping roles in both the beginning and end of the immune response
 - Like DC they also sample the environment, but also have cytotoxic capabilities
 - They are key regulators of wound repair and resolving an immune response
- Location: Everywhere. Interfaces with the environment (lung, intestine, liver, skin, placenta, brain), sites of immune interactions (spleen, lymph nodes, Peyer’s patches), sites of inflammation
- Key Markers: CD11b+, CD68+

NK Cells: “Special Forces”




- Function: Early responders that have cytolytic potential as well as the ability to activate the immune system
 - “Natural Killing” is the ability to kill tumor cells without prior activation
 - Big sensors of altered self – e.g. loss of MHC Class I or upregulation of stress molecules (e.g. heat shock protein)
- Location: bone marrow, immune sites (lymph nodes, spleen, tonsils and thymus) and the circulation
- Key Markers: CD56+

T Cells: “The Soldiers”



- Function: **Antigen-specific** killing and orchestrate an immune response through direct killing (CD8+ T cells) and cytokine release (CD4+ T cells)
 - Two main types: **CD4+ and CD8+ T cells (cytotoxic T lymphocytes, CTLs)** that recognize antigens presented in MHC Class II and Class I respectively
- Location: immune sites (lymph nodes, spleen, tonsils and thymus) and sites of inflammation
- Key Markers: CD3+, CD4+, CD8+, CD28+, CD152+ (CTLA-4)

B Cells: “Artillery”



- Function: **Antigen-specific** production of **antibodies**
 - They also help propagate an immune response through their function as antigen presentation and cytokine production
- Location: immune sites (lymph nodes, spleen, tonsils and thymus) and sites of inflammation
- Key Markers: CD19+, CD20+, CD21+

Structure of the Immune System: Summary




- ◆ There are four key “organs” of the immune system: **Bone Marrow, Lymph Node, Spleen and Thymus**
- ◆ There are two broad categories of the immune system: **Innate Immunity (Antigen Non-specific)** and **Adaptive Immune (Antigen Specific)**
- ◆ There are five major immune cells: **Dendritic cells (DC), Macrophages, NK Cells, T cells and B cells**

Outline

- ◆ Structure of the immune system
- ◆ Anatomy of an immune response
- ◆ Role of the immune system in disease: infection, cancer and autoimmunity


Anatomy of the Immune Response

Innate Recognition and Activation



Initiation of Local Inflammation

Anatomy of the Immune Response



Outline

- ◆ Structure of the immune system
- ◆ Anatomy of an immune response
- ◆ Role of the immune system in disease:
infection/vaccination, cancer and autoimmunity

Infection and Vaccination

- How does the immune system protect us from the infinite variety of pathogens?
 - **Limitless numbers of detectors**
 - **Immunological Memory**

Infinite antigens need infinite detectors



Susumu Tonegawa
1987 Nobel Prize

The answer is that the immune system can make a ridiculous number of different “detectors”

**Detectors = proteins that can specifically bind antigens:
T cell receptor (TCR) and B cell receptor (BCR/antibodies)**

1,000,000,000,000,000,000 Pathogen “detectors”

10,000,000,000,000 Cells in the human body

30,000 Genes in the genome

V(D)J RAG-mediated recombination

Immunologic Memory and Vaccination

- Bacteria and viruses divide much more quickly than mammalian cells, how can we fight their numbers?
 - Effector T cells and antibodies persist for weeks to years after exposure to antigen – “protective immunity” and is the reason vaccines prevent infections
 - Second exposure to the same antigen produces a much faster response and is referred to as **Immunological Memory**





Figure 11.16 Janeway's Immunobiology, 8ed. (© Garland Science 2012)

Hallmarks of Cancer



- Cancer arises in part due to the failure of the immune system to detect and act on mutant/aberrant cells
- **THE CHALLENGE** –
 - Recognition of cancer cells
 - Eliminating normal suppression mechanisms co-opted by cancer cells


Autoimmunity

**The single most important question that the immune system must answer over and over:
Is this cell/tissue/protein self?**

- **Self** – uninfected, healthy, normal (i.e. no genetic mutations)
- **Non-self** – viruses, bacteria, fungus, parasites, etc., cells that are infected by these pathogens and diseased cells

“Tolerance”

Peter Medawar – 1960 Nobel Prize



Autoimmunity

**The single most important question that the immune system must answer over and over:
Is this cell/tissue/protein self?**

- If the immune system answers this question incorrectly: the disease will not be cleared or, even worse, autoimmunity
- **AUTOIMMUNITY** – *failure of tolerance to self* leading to the destruction of healthy tissues (lupus, Type I diabetes)

Summary and Questions

- ◆ The immune system consists of a series of organs and cells that give it system wide access to protect against a tremendous variety of targets
- ◆ The immune response involves a series of specific steps starting from detection of a target to its elimination and finally returning the body to its normal state
- ◆ Many disease states, particularly cancer, arise from failed immune responses and retraining the immune system is the goal of all immunotherapy from vaccination to checkpoint inhibitors

