



Antibody targeting of TAMs in pancreatic cancer and melanoma

- Remodel the tumor microenvironment to revives immune targeting of tumor cells**

Dhifaf Sarhan, Assistant Professor



Karolinska Institutet

Department of Microbiology, Tumor and Cell Biology



No financial relationship to disclose




Immunotherapy for Cancer



Sharma and Allison: Cell 2015



≥ 50% expected to respond
TME?

The tumor microenvironment





Pancreatic cancer



- *Tumor characteristics, cold tumor, immune-excluded, hot tumor, low immunogenicity*
- 80% of stromal tissue (tumor microenvironment, TME) composed of lymphoid structures, suppressive immune cells including MDSC and TAMs
- Macrophages, shift to M1 and M2 in TME depending on stimuli



TAMs vs. MDSCs



DOI: 10.1371/journal.pone.0079114










<https://doi.org/10.3892/ol.2017.6305>

Scavenger receptor MARCO








- Janitorial function, uptake & clearance
 - foreign ligands: pathogens
 - self ligands: apoptotic cells, oxLDL
- Restricted normal expression:
 - subpopulation in the spleen, peritoneum and LN
- **Overexpressed in the tumor microenvironment**









MARCO is involved in tumor microenvironment modulation





Anti-MARCO antibody treatment







Mechanism of aMARCO treatment







aMARCO treatment in PC






aMARCO treatment Melanoma *In vivo*




Geourgoudaki et al. Cell Rep. 2016



aMARCO treatment Melanoma *In vivo*



Summary



DS-Lab

Dhifaf Sarhan
Catarina Pelicano
Fei He
Martin Borgmann

Mikael Karlsson-Lab

Mikael Karlsson
Silke Eisinger
Chenfei He
Shan Wang
Manasa Garimella
Saikiran Sedimbi

Key collaborators:

Karolinska Institutet / Hospital

Prof. Mattias Löhr,
Ass. Prof. Rainer Heuchel
Prof. Rolf Kiessling
Dr. Andreas Lundqvist
Prof. Björn Önfelt

Uppsala University

Ass. Prof. Johan Botling

Lund University

Prof. Karin Leandersson

The Rockefeller University

Prof. Jeffrey V. Ravetch
Dr. Patrick Smith

University of Minnesota

Prof. Jeffrey Miller
Dr. Jinhua Wang
Dr. Juan E. Abrahante

Funding agencies:



**Cancer-
fonden**



Sjöbergstiftelsen
The Sjöberg Foundation



novo nordisk



Vetenskapsrådet